

H5300S 规格书(Line-up)

基板 CCL: H5300S

1、 Only E-Glass Type CCL: H5300S

Core Thickness		Standard Construction	RC(%)	Dk				Df			
mil	mm			1GHz	5GHz	10GHz	15GHz	1GHz	5GHz	10GHz	15GHz
9.40	0.23	106X2	90	2.96	2.95	2.89	2.93	0.0012	0.0013	0.0014	0.0015
20.0	0.50	106X2	96	2.96	2.95	2.92	2.93	0.0008	0.0009	0.0010	0.0011
30.0	0.76	106X3	96	2.96	2.95	2.94	2.93	0.0008	0.0009	0.0010	0.0011
40.0	1.02	106X4	96	2.96	2.95	2.94	2.93	0.0008	0.0009	0.0010	0.0011

Copper foil	Pnl size	
thickness	Warp	Fill
1/2oz	48"	54"
1oz	36"	48"
2oz	18"	24"
3oz		

Remark: 1. The above data is for your reference only.

2. Please contact WAZAM sale and TS team if need more Laminates type.